

ATLANTIC

P R O D U C T S



Products Guide

-2024-



WWW.ATLANTICPRODUCTS.COM.AU


HAUL-IT

Something to winch about!

Winch Selector Guide

It can be confusing not knowing what type of winch, strap or hook you might need. Introducing our easy-to-use Atlantic Winch Selector Guide. Whether you're pulling in a small or large water vessel or lifting a heavy load – this guide will help choose the correct winch – including bolt-down dimensions for when mounting the winch to your trailer.

We've also refined our entire product range including upgrades to our compact brake winches – now optional with a full-protective cover and stainless-steel parts. There are also two brand new winch models, including our heavy-duty 'car trailer' brake winch. Sporting a stylish black body, this winch has the capacity to incline pull up to 2500kg!

 To use our winch selector, refer to the inside front cover.

 For a full list of product specifications, refer to the inside back cover.

Winch Selector Guide:



Jetski's:

SMW007R 3:1 Cadet Winch
6m x 4mm rope / S Hook

SMW008R 4:1 Cadet Winch
6m x 4mm rope / S Hook

CMW002W 3:1 Cadet Winch
4.5m webbing strap / S Hook

CMW003C 3:1 Cadet Winch
6m x 4mm cable / S Hook

CMW005W 4:1 Cadet Winch
6m webbing strap / S Hook

HMW005W 4:1 Cadet Winch
6m webbing strap / S Hook

CEW2000C 460:1 Electric Winch
9m x 4.8mm cable / Snap Hook



Small tinny boats:

SMW007R 3:1 Cadet Winch
6m x 4mm rope / S Hook

SMW008R 4:1 Cadet Winch
6m x 4mm rope / S Hook

CMW002W 3:1 Cadet Winch
4.5m webbing strap / S Hook

CMW005W 4:1 Cadet Winch
6m webbing strap / S Hook

HMW005W 4:1 Cadet Winch
6m webbing strap / S Hook

CMW006C 4:1 Cadet Winch
6m x 4mm cable / S Hook

CEW2000C 460:1 Electric Winch
9m x 4.8mm cable / Snap Hook



Boats up to 14ft:

SMW007R 3:1 Cadet Winch
6m x 4mm rope / S Hook

SMW008R 4:1 Cadet Winch
6m x 4mm rope / S Hook

MW202W 3:1 Marine Winch
6m webbing strap / S Hook

MW201R 3:1 Marine Winch
6m x 4mm rope / S Hook

MW212C 3:1 Marine Winch
6m x 4mm cable / S Hook

CEW2000C 460:1 Electric Winch
9m x 4.8mm cable / Snap Hook



Boats up to 18ft:

MW204W 5:1 Marine Winch
6m webbing strap / Snap Hook

MW203R 5:1 Marine Winch
6m x 5mm rope / Snap Hook

MW214C 5:1 Marine Winch
6m x 4mm cable / Snap Hook

CEW2000C 460:1 Electric Winch
9m x 4.8mm cable / Snap Hook



Boats up to 20ft:

MW206W 5:1/1:1 Marine Winch
7.5m webbing strap / Snap Hook

MW205R 5:1/1:1 Marine Winch
7.5m x 5mm rope / Snap Hook

MW217C 5:1/1:1 Marine Winch
7.5m x 5mm cable / Snap Hook

CEW3000C 729:1 Electric Winch
9m x 5.5mm cable / Snap Hook

HEW3500C 729:1 Electric Winch
10.5m x 5.5mm cable / Snap Hook



Boats up to 22ft:

MW208W 10:1/5:1/1:1 Marine Winch
7.5m webbing strap / Snap Hook

MW207R 10:1/5:1/1:1 Marine Winch
7.5m x 6mm rope / Snap Hook

MW220C 10:1/5:1/1:1 Marine Winch
7.5m x 6mm cable / Snap Hook

CEW3000C 729:1 Electric Winch
9m x 5.5mm cable / Snap Hook

HEW3500C 729:1 Electric Winch
10.5m x 5.5mm cable / Snap Hook



Boats up to 25ft:

MW210W 15:1/5:1/1:1 Marine Winch
7.5m webbing strap / Snap Hook

MW209R 15:1/5:1/1:1 Marine Winch
7.5m x 7mm rope / Snap Hook

MW223C 15:1/5:1/1:1 Marine Winch
7.5m x 7mm cable / Snap Hook

CEW3000C 729:1 Electric Winch
9m x 5.5mm cable / Snap Hook

HEW3500C 729:1 Electric Winch
10.5m x 5.5mm cable / Snap Hook



Cars up to 2500kg:

CTW2500R 15:1 Car Trailer Winch
15m x 10mm Atlantic Rope / Snap Hook

I need a winch that pulls:

I need a winch that lifts:



Loads up to 300kg:

BW230C 5:1 Compact Brake Winch
7.5m x 5mm cable / Snap Hook

BW230C also available with a full cover, with or without stainless-steel.



Loads up to 500kg:

BW260C 10:1 Compact Brake Winch
7.5m x 6mm cable / Snap Hook

BW260C also available with a full cover, with or without stainless-steel.



Loads up to 725kg:

BW290C 15:1 Compact Brake Winch
8m x 8mm cable / Snap Hook



Loads up to 750kg:

LBW620NC 8:1 Large Brake Winch
Cable and hook sold separately



Loads up to 1500kg:

LBW650NC 15:1 Large Brake Winch
Cable and hook sold separately



Loads up to 1800kg:

LBW680NC 15:1 X-Large Brake Winch
Cable and hook sold separately



For a full list of product specifications, refer to the inside back cover.



For a full list of winch spare parts, refer to the inside back cover.

Size doesn't matter.

Cadet Winch Series

These entry-level winches are perfect for those looking for an economical winch with real performance. The range of Cadet Boat Winches are

available in two different gear ratio sizes – 3:1 or 4:1 with load capacity ratings operating from 300kg up to 550kg using a webbing strap, cable or rope.

PRODUCT CODE	CAPACITY	GEAR RATIO	CABLE TYPE	HOOK TYPE	QUANTITY	IMAGE
CMW002W	300kg (660lb)	3:1	4.5m Webbing Strap	S Hook	4pcs	Page 2
CMW003C	300kg (660lb)	3:1	6m x 4mm cable	S Hook	4pcs	–
CMW004NC	300kg (660lb)	3:1	No Cable	–	4pcs	–
SMW007R	300kg (660lb)	3:1	6m x 4mm rope	S Hook	4pcs	–
CMW005W	550kg (1200lb)	4:1	6m Webbing Strap	S Hook	4pcs	Page 3
CMW006C	550kg (1200lb)	4:1	6m x 4mm cable	S Hook	4pcs	–
CMW007NC	550kg (1200lb)	4:1	No Cable	–	4pcs	–
SMW008R	550kg (1200lb)	4:1	6m x 4mm rope	S Hook	4pcs	–
HMW005W	550kg (1200lb)	4:1	6m Webbing Strap	S Hook	4pcs	Page 4
CMW-HANDLE	Removable Handle	–	–	–	25pcs	–

Cadet Boat Winch

300kg (660lb)




3:1 gear ratio

Machine-cut gears

Rust resistant Dacromet finish

Available with Atlantic Rope

Winch Mounting Bolts sold separately (refer to page 38)



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Cadet Boat Winch

550kg (1200lb)

-  JETSKI
-  TINNY BOAT
-  INCLINE PULL
-  ATLANTIC ROPE WEBBING
-  REMOVABLE HANDLE



4:1 gear ratio



Machine-cut gears

Rust resistant Dacromet finish

Available with Atlantic Rope



Winch Mounting Bolts sold separately (refer to page 38)



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



HAUL-IT

Jetski & Tinny Winch

550kg (1200lb)

-  JETSKI
-  TINNY BOAT
-  INCLINE PULL
-  WEBBING
-  REMOVABLE HANDLE





4:1 gear ratio

6.1m webbing strap

Stainless-steel S Hook

Rust resistant Designer Black finish

Winch Mounting Bolts sold separately (refer to page 38)



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER




Bang for bucks.

Electric Winch Series

These entry-level winches are perfect for people looking for an economically-priced winch that can perform. Our range of Cadet Electric Winches are

available in two different gear ratio sizes with load capacity ratings operating from 900kg up to 1350kg using a 5.5mm cable or rope.






PRODUCT	CAPACITY	GEAR RATIO	CABLE TYPE	HOOK TYPE	POWER	QUANTITY	IMAGE
CEW2000C	2000lb	460:1	9m x 4.8mm Cable	Snap Hook	12V / 280w	2pcs	Page 6
CEW3000C	3000lb	729:1	9m x 5.5mm Cable	Snap Hook	12V / 300w	2pcs	Page 7
CEW3500R	3500lb	729:1	10.5 x 5.5mm Rope	Snap Hook	12V / 350w	2pcs	Page 8
HEW3500C	3500lb	729:1	10.5 x 5.5mm Cable	Snap Hook	12V / 350w	2pcs	Page 9

 To use our winch selector, refer to the inside front cover.

 For a full list of product specifications, refer to the inside back cover.

Electric Marine Winch

2000lb / 280w motor

-  JETSKI
-  TINNY BOAT
-  BOAT UP TO 14FT
-  BOAT UP TO 18FT
-  INCLINE PULL
-  CABLE





**Power in,
free spool out**

**Suitable for
jetski/tinny's**

**12 volt
280w motor**

**460:1
gear ratio**


Winch Mounting Bolts
sold separately
(refer to page 38)



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Electric Marine Winch

3000lb / 300w motor





**Power in,
power out**

**Suitable for
18-21 ft boats**

**12 volt
300w motor**

**729:1
gear ratio**

Winch Mounting Bolts
sold separately
(refer to page 38)




FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Electric Marine Winch

3500lb / 300w motor





**Power in,
power out**

**12 volt
350w motor**

**10.5m x 5.5mm
Rope**

**Corrosion Resistant
Housing**

Winch Mounting Bolts
sold separately
(refer to page 38)




FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



HAUL-IT

Electric Marine Winch

3500lb / 350w motor





**Power in,
power out**

**12 volt
350w motor**

**10.5m x 5.5mm
Heavy Gauge Cable**

**Corrosion Resistant
Housing**

Winch Mounting Bolts
sold separately
(refer to page 38)



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Tell that to the Marines.

Marine Winch Series

Our range of single-speed Marine Winches are available in two different models with pulling capacity operating

from 550kg up to 725kg. Each model is available with a cable, webbing strap or Atlantic Rope.

PRODUCT	CAPACITY	GEAR RATIO	CABLE TYPE	HOOK TYPE	QUANTITY	IMAGE
MW201R	550kg (1200lb)	3:1	6m x 4mm Rope	S Hook	4pcs	Page 11
MW202W	550kg (1200lb)	3:1	6m Webbing Strap	S Hook	4pcs	—
MW212C	550kg (1200lb)	3:1	6m x 4mm Cable	S Hook	4pcs	—
MW213NC	550kg (1200lb)	3:1	No Cable	—	4pcs	—
MW203R	725kg (1600lb)	5:1	6m x 5mm Rope	Snap Hook	4pcs	Page 12
MW204W	725kg (1600lb)	5:1	6m Webbing Strap	Snap Hook	4pcs	—
MW214C	725kg (1600lb)	5:1	6m x 4mm Cable	Snap Hook	4pcs	—
MW215NC	725kg (1600lb)	5:1	No Cable	Snap Hook	4pcs	—

Marine Boat Winch

550kg (1200lb)



3:1 gear ratio


Machine-cut gears

Hardened steel bushes

Rust resistant Dacromet finish

Available with Atlantic rope, webbing strap or cable

Winch Mounting Bolts sold separately (refer to page 38)



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Marine Boat Winch

725kg (1600lb)



5:1 gear ratio


Machine-cut gears

Hardened steel bushes

Rust resistant Dacromet finish

Available with Atlantic rope, webbing strap or cable

Winch Mounting Bolts sold separately (refer to page 38)



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Tell that to the Marines.

Marine Winch Series

Our multi-speed range of Marine Winches are available in three different models with pulling capacity operating from 775kg up to 1500kg.

Depending on the application, there's a number of gear ratio speeds with a cable, webbing strap or Atlantic Rope.

PRODUCT	CAPACITY	GEAR RATIO	CABLE TYPE	HOOK TYPE	QUANTITY	IMAGE
MW205R	775kg (1700lb)	5:1/1:1	7.5m x 5mm Rope	Snap Hook	4pcs	Page 14
MW206W	775kg (1700lb)	5:1/1:1	7.5m Webbing Strap	Snap Hook	4pcs	—
MW217C	775kg (1700lb)	5:1/1:1	7.5m x 5mm Cable	Snap Hook	4pcs	—
MW218NC	775kg (1700lb)	5:1/1:1	No Cable	—	4pcs	—
MW207R	1135kg (2500lb)	10:1/5:1/1:1	7.5m x 6mm Rope	Snap Hook	4pcs	Page 15
MW208W	1135kg (2500lb)	10:1/5:1/1:1	7.5m Webbing Strap	Snap Hook	4pcs	—
MW220C	1135kg (2500lb)	10:1/5:1/1:1	7.5m x 6mm Cable	Snap Hook	4pcs	—
MW221NC	1135kg (2500lb)	10:1/5:1/1:1	No Cable	—	4pcs	—
MW209R	1500kg (3300lb)	15:1/5:1/1:1	7.5m x 7mm Rope	Snap Hook	3pcs	Page 16
MW210W	1500kg (3300lb)	15:1/5:1/1:1	7.5m Webbing Strap	Snap Hook	3pcs	—
MW223C	1500kg (3300lb)	15:1/5:1/1:1	7.5m x 7mm Cable	Snap Hook	3pcs	—
MW224NC	1500kg (3300lb)	15:1/5:1/1:1	No Cable	—	3pcs	—
HEXHANDLE	Removable Hex Handle	—	—	—	25pcs	—

Hex Handle

Marine Boat Winch

775kg (1700lb)

-  BOAT UP TO 20FT
-  INCLINE PULL
-  ATLANTIC ROPE WEBBING CABLE
-  REMOVABLE HEX HANDLE




5:1/1 gear ratio

Machine-cut gears

Hardened steel bushes

Rust resistant Dacromet finish

Available with Atlantic rope, webbing strap or cable



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER





Marine Boat Winch

1135kg (2500lb)



10:1/5:1/1:1
gear ratio

Machine-cut
gears


Hardened steel
bushes

Rust resistant
Dacromet finish

Available with Atlantic rope,
webbing strap or cable



Winch Mounting Bolts
sold separately
(refer to page 38)



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Marine Boat Winch

1500kg (3300lb)



15:1/5:1/1:1
gear ratio


Hardened steel bushes
& machine-cut gears

Rust resistant
Dacromet finish

Available with Atlantic rope,
webbing strap or cable



Winch Mounting Bolts
sold separately
(refer to page 38)



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Ready for lift off!

Compact Brake Winch Series

Our Compact Brake Winch range are available in 5:1 (300kg), 10:1 (500kg) and 15:1 (725kg). The self actuating

automatic braking mechanism ensures the suspension and 'jerk-free' movement when lowering a load under pressure.

PRODUCT	LIFTING CAPACITY	GEAR RATIO	CABLE TYPE	HOOK TYPE	QUANTITY	IMAGE
BW230C	300kg (660lb)	5:1	7.5m x 5mm Cable	Snap Hook	4pcs	Page 18
BW230C-FC	300kg (660lb)	5:1	7.5m x 5mm Cable	Snap Hook	4pcs	-
BW230C-FCSS	300kg (660lb)	5:1	7.5m x 5mm Cable	Snap Hook	4pcs	-
BW240NC	775kg (1700lb)	5:1/1:1	No Cable	-	4pcs	-
BW260C	500kg (1100lb)	10:1	7.5m x 6mm Cable	Snap Hook	4pcs	Page 19
BW260C-FC	500kg (1100lb)	10:1	7.5m x 6mm Cable	Snap Hook	4pcs	-
BW260C-FCSS	500kg (1100lb)	10:1	7.5m x 6mm Cable	Snap Hook	4pcs	-
BW280NC	1135kg (2500lb)	10:1/5:1/1:1	No Cable	-	4pcs	-
BW290C	725kg (1600lb)	15:1	8m x 7mm Cable	Snap Hook	3pcs	Page 20
BW290NC	1500kg (3300lb)	15:1/5:1/1:1	No Cable	-	3pcs	-
BW-HANDLE	Brake Winch Spare Handle	-	-	-	25pcs	-

Compact Brake Winch

300kg (660lb)

↑ LIFTING CAPACITY



5:1 gear ratio


Machine-cut gears

Hardened steel bushes


Rust resistant Dacromet finish



Winch Mounting Bolts sold separately (refer to page 38)



Optional full-cover winch body



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Compact Brake Winch

500kg (1100lb)

↑ LIFTING CAPACITY




10:1
gear ratio



Machine-cut
gears

Hardened steel
bushes

Rust resistant
Dacromet finish



Winch Mounting Bolts
sold separately
(refer to page 38)



Optional
full-cover
winch body


FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Compact Brake Winch

725kg (1600lb)

↑ LIFTING CAPACITY




15:1
gear ratio



Machine-cut
gears

Hardened steel
bushes

Rust resistant
Dacromet finish



Winch Mounting Bolts
sold separately
(refer to page 38)



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER



Larger than life.

Large Brake Winch Series

Our Large Brake Winch range is available in two gear ratio's with lifting capacity operating from 750kg up to 1800kg and pulling capacity up to 2500kg.

The self actuating automatic braking mechanism ensures the suspension and 'jerk-free' movement when lowering a load under pressure.

PRODUCT	LIFTING CAPACITY	RATIO	CABLE AND HOOK TYPE	QUANTITY	IMAGE
LBW620NC	750kg (1650lb)	8:1	No Cable	1pc	Page 22
LBW650NC	1500kg (3300lb)	15:1	No Cable	1pc	Page 23
LBW650-25X10DS	1500kg (3300lb)	15:1	25m x 10mm Galv Cable with Rated D-Shackle	1pc	Page 24
LBW680NC	1800kg (3960lb)	15:1	No Cable	1pc	Page 25
CTW2500R (LBW650-15X10C)	2500kg (5500lb)	15:1	15m x 10mm Rope with Snap Hook	1pc	Page 26

🔍 To use our winch selector, refer to the inside front cover.

⚙️ For a full list of product specifications, refer to the inside back cover.

Large Brake Winch

750kg (1650lb)

↑ LIFTING CAPACITY




8:1 gear ratio

Machine-cut gears

Hardened steel bushes

Rust resistant Dacromet finish



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Large Brake Winch

1500kg (3300lb)

↑ LIFTING CAPACITY




**15:1
gear ratio**

**Machine-cut
gears**

**Hardened steel
bushes**

**Rust resistant
Dacromet finish**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Large Brake Winch

1500kg (3300lb)

↑ LIFTING CAPACITY




**15:1
gear ratio**

**Machine-cut
gears**

**Hardened steel
bushes**

**Power-coat finish
to winch body**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Extra Large Brake Winch

1800kg (3960lb)

↑ LIFTING CAPACITY




**15:1
gear ratio**

**Machine-cut
gears**

**Hardened steel
bushes**

**Rust resistant
Dacromet finish**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

HD Car Trailer Brake Winch

2500kg (5500lb)

↔ PULLING CAPACITY




**15:1
gear ratio**

**Machine-cut
gears**

**Hardened steel
bushes**

**Power-coat finish
to winch body**



FOR FULL SPECIFICATIONS, SEE INSIDE BACK COVER

Winch Rope



Winch Webbing



PRODUCT	LENGTH	HOOK TYPE	BOAT SIZE	CAPACITY	QUANTITY
AR6MX4MMSHK	6m x 4mm	S hook	Boats up to 14ft	500kg	10pcs
AR7MX6MMSHK	7m x 6mm	S hook	Boats up to 18ft	800kg	10pcs
AR6MX5MMSNHK	6m x 5mm	Snap hook	Boats up to 20ft	700kg	10pcs
AR75MX6MMSNHK	7.5m x 6mm	Snap hook	Boats up to 20ft	1000kg	10pcs
AR75MX7MMSNHK	7.5m x 7mm	Snap hook	Boats up to 22ft	1500kg	10pcs
AR10MX10MMSNHK	10m x 10mm	Snap hook	Boats up to 25ft	2500kg	1pc

PRODUCT	LENGTH	HOOK TYPE	BOAT SIZE	CAPACITY	QUANTITY
45MWSHK	4.5m	S hook	Jetski / Tinny Boat	300kg	10pcs
6MWSHK	6.0m	S hook	Boats up to 14ft	500kg	10pcs
45MWSNHK	4.5m	Snap hook	Jetski / Tinny Boat	400kg	10pcs
6MWSNHK	6.0m	Snap hook	Boats up to 18ft	700kg	10pcs
75MWSNHK	7.5m	Snap hook	Boats up to 20ft	1000kg	10pcs

Winch Cable

-  JETSKI
-  TINNY BOAT
-  BOAT UP TO 14FT
-  BOAT UP TO 18FT
-  BOAT UP TO 20FT
-  BOAT UP TO 22FT



PRODUCT	LENGTH	HOOK TYPE	BOAT SIZE	CAPACITY	QUANTITY
6MX4MMSHK	6m x 4mm	S hook	Boats up to 14ft	500kg	10pcs
6MX4MMSNHK	6m x 4mm	Snap hook	Boats up to 14ft	700kg	10pcs
75MX5MMSNHK	7.5mm x 5mm	Snap hook	Boats up to 18ft	800kg	10pcs
75MX6MMSNHK	7.5mm x 6mm	Snap hook	Boats up to 20ft	1000kg	10pcs
25MX10MMDS	25m x 10mm	D-Shackle	For Brake Winch	2500kg	1pc

Tow Bar Products



TBCB

TBCC



PRODUCT	DESCRIPTION	QUANTITY
CTB50X62C	3.5T 50mm x 62mm shank Chrome Towball	20pcs
TBCC	50mm Chrome Tow Ball Cover	12pcs
TBCB	50mm Black PVC Tow Ball Cover	12pcs
LGPIN	Tow Bar Locking Pin & R-Clip	50pcs
SHINPRO	Tow Bar Shin Protector	40pcs
TRAILER-LOCK	Trailer Lock	12pcs



Tie-Down Ratchets



Stainless Steel Tie-Down Ratchet



PRODUCT	LENGTH	UNITS	BOAT SIZE	CAPACITY	QUANTITY
ATL1825	1.8m x 25mm	Pair	Jet Ski / Small Boat	200kg	30pcs
ATL4025	4m x 25mm	Single	Jet Ski / Small Boat	200kg	30pcs
ATL1550	1.5m x 50mm	Pair	Jet Ski / Small Boat	400kg	14pcs
ATL5550	5.5m x 50mm	Single	Over boat straps	400kg	14pcs

PRODUCT	LENGTH	UNITS	BOAT SIZE	CAPACITY	QUANTITY
ATL1825SS	1.8m x 25mm	Pair	Jet Ski / Small Boat	200kg	30pcs
ATL4025SS	4m x 25mm	Single	Jet Ski / Small Boat	200kg	30pcs
ATL1550SS	1.5m x 50mm	Pair	Jet Ski / Small Boat	400kg	14pcs
ATL5550SS	5.5m x 50mm	Single	Over boat straps	400kg	14pcs

Wobble Rollers

PRODUCT	DESCRIPTION	QUANTITY
WR3BLUE	3" Blue Wobble Roller (Black centre)	24pcs
WR3GREY	3" Grey Wobble Roller (Black centre)	24pcs
WR3BLACK	3" Black Wobble Roller (Black centre)	24pcs



Rubber Keel Rollers

PRODUCT	DESCRIPTION	QUANTITY
BRKR45	4.5" Black Rubber Keel Roller	40pcs
BRKSR60	6" Black Rubber Sydney Keel Roller	20pcs
BRKSR80	8" Black Rubber Sydney Keel Roller	20pcs



Hard Keel Rollers

PRODUCT	DESCRIPTION	QUANTITY
BHKR45	4.5" Blue Hard Keel Roller	40pcs
BHSKR60	6" Blue Hard Sydney Keel Roller	14pcs
BHSKR80	8" Blue Hard Sydney Keel Roller	20pcs



Bow Rollers

PRODUCT	DESCRIPTION	QUANTITY
BOWR3	3" Bow Roller with End Caps and Bolt	12pcs
BOWR4	4" Bow Roller with End Caps and Bolt	20pcs



Soft Polyurethane Rollers

PRODUCT	DESCRIPTION	QUANTITY
RSPKR45	4.5" Red Soft Poly Cotton Reel Keel Roller with spindle insert	40pcs
GSPKR45	4.5" Grey Soft Poly Cotton Reel Keel Roller with spindle insert	40pcs
RSPKR60	6" Red Soft Poly Cotton Reel Keel Roller with spindle insert	14pcs
GSPKR60	6" Grey Soft Poly Cotton Reel Keel Roller with spindle insert	14pcs
RSPKR80	8" Red Soft Poly Cotton Reel Keel Roller with spindle insert	20pcs
GSPKR80	8" Grey Soft Poly Cotton Reel Keel Roller with spindle insert	20pcs
RSPSKR60	6" Red Soft Poly Sydney Keel Roller with spindle insert	14pcs
RSPSKR80	8" Red Soft Poly Sydney Keel Roller with spindle insert	20pcs



Centering Roller

PRODUCT	DESCRIPTION	QUANTITY
BHCR60	6" Centering Roller	14pcs
BHCR80	8" Centering Roller	20pcs




Trailer Blocks

PRODUCT	DESCRIPTION	QUANTITY
BHTTB250	250mm Trailer Block	25pcs
BHTTB350	350mm Trailer Block	25pcs



Teflon Skid Strips

PRODUCT	DESCRIPTION	QUANTITY
BTSS36CM	360mm Teflon Skid Strip	100pcs
BTSS15M	1.5m Teflon Skid Strip	50pcs
BTSS20M	2m Teflon Skid Strip	50pcs



Roller Spindles

PRODUCT	DESCRIPTION	PACK/BOX QTY
SRS45	M16 x 145mm - 4.5" Standard Roller Spindle	50pcs
SRS60	M16 x 203mm - 6" Standard Roller Spindle	50pcs
SRS80	M16 x 240mm - 8" Standard Roller Spindle	50pcs
SRS80-20	M20 x 240mm - 8" HD Standard Roller Spindle	30pcs
RS45	M16 x 145mm - 4.5" Forged Roller Spindle includes washer and split pin	60pcs
RS60	M16 x 203mm - 6" Forged Roller Spindle includes washer and split pin	50pcs
RS80	M16 x 240mm - 8" Forged Roller Spindle includes washer and split pin	50pcs



Glider Centering Kit

PRODUCT	DESCRIPTION	PACK/BOX QTY
ATL3108	Glider centering kit Includes 50x50 angle stem adjuster brackets	1pc



Single Stem Keel Roller Brackets

PRODUCT	DESCRIPTION	QUANTITY
SSKRB45	4.5' Single Stem Roller Bracket	10pcs
SSKRB60	6" Single Stem Roller Bracket	10pcs
SSKRB80	8" Single Stem Roller Bracket	10pcs



RW35MM-10	35mm Washer (10/pk)	100pks (1000pcs/box)
RSSP4X30	Split Pin Stainless Steel 4 x 30mm (10/pk)	250pks (2500pcs/box)



Double Stem Keel Roller Brackets

PRODUCT	DESCRIPTION	QUANTITY
DSKRB60	6" Double Stem Quintrex Roller Bracket	10pcs
DSKRB80	8" Double Stem Quintrex Roller Bracket	10pcs



RW35MM-10	35mm Washer (10/pk)	100pks (1000pcs/box)
RSSP4X30	Split Pin Stainless Steel 4 x 30mm (10/pk)	250pks (2500pcs/box)



Keel Roller Brackets

PRODUCT	DESCRIPTION	QUANTITY
KRBNS45	4.5" No Stem Roller Bracket	25pcs
KRBNS60	6" No Stem Roller Bracket	25pcs
KRBNS80	8" No Stem Roller Bracket	20pcs



Wood Yoke Brackets



PRODUCT	DESCRIPTION	PACK/BOX QTY
WY8-45MM	8" Wood Yoke 45mm with bolt and nut	18pcs
WY8-54MM	8" Wood Yoke 54mm with bolt and nut	15pcs
AWY-54MM	8" Angled Wood Yoke 54mm with bolt and nut	20pcs
M10X75WYB	Wood Yoke bolt with nyloc nut M10 x 75mm (5/pk)	50pks (250pcs/box)

Bolt-on Bracket

PRODUCT	DESCRIPTION	PACK/BOX QTY
BOB	Bolt on Bracket for Single Stem upright	25pcs




Washers

PRODUCT	DESCRIPTION	PACK/BOX QTY
RW35MM-10	35mm Washer For Keel Roller Spindle (10/pk)	100pks (1000pcs/box)
RW38MM-10	Round washer for wobble roller 38mm (10/pk)	100pks (1000pcs/box)




Eye Post Brackets

PRODUCT	DESCRIPTION	PACK/BOX QTY
EPAB175X165	Eye Post Bracket 175 x 165, 20mm Square stem, 16mm round bar	25pcs
EPAB270X165	Eye Post Bracket 270 x 165, 20mm Square stem, 16mm round bar	20pcs
EPB18X165	Eye Post Bracket 18mm x 165mm, 20mm Square stem	40pcs



Adjustable Stem Brackets

PRODUCT	DESCRIPTION	PACK/BOX QTY
ASB50X25	Adjustable stem Bracket 50x25 with Bolt and Nut	25pcs
ASB50X50	Adjustable stem Bracket 50x50 with Bolt and Nut	20pcs
M10X75CMB	Adjustable stem cross member M10 x 75mm bolt, washer & nut (5/pk)	50pks (250pcs/box)
M12X35DHB	Adjustable stem dome head bolt and nut M12 x 35mm (5/pk)	50pks (250pcs/box)



Brackets & Roller Fasteners – 8.8 Grade

PRODUCT	DESCRIPTION	PACK/BOX QTY
M10X75WYB	Wood Yoke Bolt M10 x 75mm 8.8 Grade with Nyloc Nut (5/pk)	50pks (250pcs/box)
WMB	Winch Mounting Bolt M10 x 75mm 8.8 Grade inc. washers & nut (3/pk)	80pks (240pcs/box)
M10X75CMB	Adjustable cross member bolt M10 x 75mm 8.8 Grade inc. washer & nut (5/pk)	50pks (250pcs/box)
M12X35DHB	Adjustable stem dome head bolt M12 x 35mm 8.8 Grade inc. nut (5/pk)	50pks (250pcs/box)
RSSP4X30	Split Pin Stainless Steel 4 x 30mm (10/pk)	250pks (2500pcs/box)




Safety Chains - Black Finish

PRODUCT	DESCRIPTION	LINKS / LENGTH	FINISH	RATING	QUANTITY
SC8MMBLK-11	8mm Chain	11 links / 465mm	Black	1600kg	25pcs
SC8MMBLK-13	8mm Chain	13 links / 545mm	Black	1600kg	25pcs
SC8MMBLK-23	8mm Chain	23 links / 970mm	Black	1600kg	25pcs
SC10MMBLK-12	10mm Chain	12 links / 635mm	Black	2500kg	20pcs
SC13MMBLK-12	13mm Chain	12 links / 665mm	Black	3500kg	20pcs




Outboard Motor Support Bracket



Safety Chains - Hot Dip Galv.

PRODUCT	DESCRIPTION	LINKS / LENGTH	FINISH	RATING	QUANTITY
SC8MMHDG-11	8mm Chain	11 links / 465mm	Galvanised	1600kg	25pcs
SC8MMHDG-13	8mm Chain	13 links / 545mm	Galvanised	1600kg	25pcs
SC8MMHDG-23	8mm Chain	23 links / 970mm	Galvanised	1600kg	25pcs
SC10MMHDG-12	10mm Chain	12 links / 635mm	Galvanised	2500kg	20pcs
SC13MMHDG-12	13mm Chain	12 links / 665mm	Galvanised	3500kg	20pcs



Safety Chain Links

PRODUCT	DESCRIPTION	LINKS / LENGTH	FINISH	RATING	QUANTITY
CL8MM	8mm Chain Link	1 link / 50mm	Black	-	50pcs
CL10MM	10mm Chain Link	1 link / 70mm	Black	-	50pcs



PRODUCT	DESCRIPTION	QUANTITY
MSB400MM	400mm Motor Support Bracket	4pcs
MSB730MM	730mm Motor Support Bracket	4pcs

Wheel Bearings



PRODUCT	DESCRIPTION	QUANTITY
ATL1690S	Holden LM Bearing set & Grease Seal - 39mm round & 40mm square	20pcs
ATL1688S	Holden LM Bearing set & 2-part Grease Seal - 39mm round & 40mm square	20pcs
ATL1707S	Ford SL Bearing set & Grease Seal - 45mm square	20pcs
ATL1712	Ford SL Bearing set & 2-part Grease Seal - 45mm square	20pcs

D & Bow Shackles



Bow Shackle



PRODUCT	DESCRIPTION	PACK TYPE	CAPACITY	QUANTITY
DS8MM-750	8mm D-Shackle	Retail Pack	750kg	200pcs
DS10MM-1000	10mm D-Shackle	Retail Pack	1000kg	100pcs
DS11MM-1500	11mm D-Shackle	Retail Pack	1500kg	100pcs
DS13MM-2000	13mm D-Shackle	Retail Pack	2000kg	50pcs

PRODUCT	DESCRIPTION	PACK TYPE	CAPACITY	QUANTITY
DS8MM-750B	8mm D-Shackle	Bulk Pack	750kg	300pcs
DS10MM-1000B	10mm D-Shackle	Bulk Pack	1000kg	200pcs
DS11MM-1500B	11mm D-Shackle	Bulk Pack	1500kg	150pcs
DS13MM-2000B	13mm D-Shackle	Bulk Pack	2000kg	100pcs

PRODUCT	DESCRIPTION	PACK TYPE	CAPACITY	QUANTITY
BSHACKLE1000B	10mm Bow Shackle	Bulk Pack	1000kg	200pcs

Trailer Light Boards




PRODUCT	DESCRIPTION	QUANTITY
LB-BL12MFP	1.2m Bulb Lamp - Flat Plug with large/small round plugs (TB001)	6pcs
LB-LED15MFP	1.5m LED Lamps - Flat Plug with large/small round plugs (TBL021)	6pcs

Brake Cable Assembly




PRODUCT	DESCRIPTION	QUANTITY
ATLBCA8M	8m of PVC-coated hot dip galvanised wire, cable adjuster & clamps	20pcs
BCAB	Brake Cable Adjuster Bracket (Includes 4 x Brake Cable Clamps)	40pcs
500M-7X7BC	500 metre roll 7x7 6mm (4mm HDG + 2mm PVC) brake cable	1pc

45x6 765mm Slipper Spring




PRODUCT	DESCRIPTION	LEAF TYPE	DUAL RATING	QUANTITY
3L-SS765-45X6	Slipper Spring - 765mm - 45mm x 6mm	3L	600kg	224/pal
4L-SS765-45X6	Slipper Spring - 765mm - 45mm x 6mm	4L	900kg	300/pal
5L-SS765-45X6	Slipper Spring - 765mm - 45mm x 6mm	5L	1000kg	300/pal
6L-SS765-45X6	Slipper Spring - 765mm - 45mm x 6mm	6L	1200kg	250/pal
8L-SS765-45X6	Slipper Spring - 765mm - 45mm x 6mm	8L	1400kg	200/pal
9L-SS765-45X6	Slipper Spring - 765mm - 45mm x 6mm	9L	1760kg	200/pal

45x6 765mm Slipper Spring Hook Tail




PRODUCT	DESCRIPTION	LEAF TYPE	DUAL RATING	QUANTITY
3L-SS765-45X6HT	Slipper Spring - 765mm - 45mm x 6mm Hook Tail	3L	600kg	400/pal
4L-SS765-45X6HT	Slipper Spring - 765mm - 45mm x 6mm Hook Tail	4L	900kg	300/pal
5L-SS765-45X6HT	Slipper Spring - 765mm - 45mm x 6mm Hook Tail	5L	1000kg	300/pal
6L-SS765-45X6HT	Slipper Spring - 765mm - 45mm x 6mm Hook Tail	6L	1200kg	250/pal
7L-SS765-45X6HT	Slipper Spring - 765mm - 45mm x 6mm Hook Tail	7L	1400kg	200/pal
9L-SS765-45X6HT	Slipper Spring - 765mm - 45mm x 6mm Hook Tail	9L	1760kg	200/pal

45x8 710mm Slipper Spring




PRODUCT	DESCRIPTION	LEAF TYPE	DUAL RATING	QUANTITY
3L-SS710-45X8	Slipper Spring - 710mm - 45mm x 8mm	3L	1080kg	350/pal
4L-SS710-45X8	Slipper Spring - 710mm - 45mm x 8mm	4L	1440kg	300/pal
5L-SS710-45X8	Slipper Spring - 710mm - 45mm x 8mm	5L	1800kg	250/pal
6L-SS710-45X8	Slipper Spring - 710mm - 45mm x 8mm	6L	2180kg	250/pal
8L-SS710-45X8	Slipper Spring - 710mm - 45mm x 8mm	8L	2900kg	200/pal

45x8 710mm Eye to Eye Spring



PRODUCT	DESCRIPTION	LEAF TYPE	DUAL RATING	QUANTITY
3L-EZE710-45X8	Eye to Eye Spring - 710mm - 45mm x 8mm	3L	1060kg	350/pal
4L-EZE710-45X8	Eye to Eye Spring - 710mm - 45mm x 8mm	4L	1400kg	300/pal
5L-EZE710-45X8	Eye to Eye Spring - 710mm - 45mm x 8mm	5L	1760kg	250/pal
6L-EZE710-45X8	Eye to Eye Spring - 710mm - 45mm x 8mm	6L	2100kg	250/pal
8L-EZE710-45X8	Eye to Eye Spring - 710mm - 45mm x 8mm	8L	2800kg	200/pal


Rocker Roller Springs - Dacromet



PRODUCT	DESCRIPTION	A	B	C	D	E	F	CAPACITY*	QUANTITY
ATL576460D	LH 60mm x 6 leaf suit 14" wheels	687	117	396	291	787	785	1105-1250kg	25/pal
ATL576461D	RH 60mm x 6 leaf suit 14" wheels	687	117	396	291	787	785	1105-1250kg	25/pal
ATL576470D	LH 60mm x 7 leaf suit 14" wheels	687	117	396	291	787	785	1300-1500kg	25/pal
ATL576471D	RH 60mm x 7 leaf suit 14" wheels	687	117	396	291	787	785	1300-1500kg	25/pal
ATL576670D	LH 60mm x 7 leaf suit 16" wheels	687	117	343	343	787	888	1625-2100kg	25/pal
ATL576671D	RH 60mm x 7 leaf suit 16" wheels	687	117	343	343	787	888	1625-2100kg	25/pal
ATL576680D	LH 60mm x 8 leaf suit 16" wheels	687	117	343	343	787	888	1900-2245kg	25/pal
ATL576681D	RH 60mm x 8 leaf suit 16" wheels	687	117	343	343	787	888	1900-2245kg	25/pal

* Capacity for 2 springs

Rocker Roller Springs - Black





PRODUCT	DESCRIPTION	A	B	C	D	E	F	CAPACITY*	QUANTITY
ATL576450	LH 60mm x 5 leaf suit 14" wheels	687	117	396	291	787	785	950-1100kg	25/pal
ATL576451	RH 60mm x 5 leaf suit 14" wheels	687	117	396	291	787	785	950-1100kg	25/pal
ATL576460	LH 60mm x 6 leaf suit 14" wheels	687	117	396	291	787	785	1105-1250kg	25/pal
ATL576461	RH 60mm x 6 leaf suit 14" wheels	687	117	396	291	787	785	1105-1250kg	25/pal
ATL576470	LH 60mm x 7 leaf suit 14" wheels	687	117	396	291	787	785	1300-1500kg	25/pal
ATL576471	RH 60mm x 7 leaf suit 14" wheels	687	117	396	291	787	785	1300-1500kg	25/pal
ATL576650	LH 60mm x 5 leaf suit 16" wheels	687	117	343	343	787	888	1300-1450kg	25/pal
ATL576651	RH 60mm x 5 leaf suit 16" wheels	687	117	343	343	787	888	1300-1450kg	25/pal
ATL576660	LH 60mm x 6 leaf suit 16" wheels	687	117	343	343	787	888	1450-1600kg	25/pal
ATL576661	RH 60mm x 6 leaf suit 16" wheels	687	117	343	343	787	888	1450-1600kg	25/pal
ATL576670	LH 60mm x 7 leaf suit 16" wheels	687	117	343	343	787	888	1625-2100kg	25/pal
ATL576671	RH 60mm x 7 leaf suit 16" wheels	687	117	343	343	787	888	1625-2100kg	25/pal
ATL576680	LH 60mm x 8 leaf suit 16" wheels	687	117	343	343	787	888	1900-2245kg	25/pal
ATL576681	RH 60mm x 8 leaf suit 16" wheels	687	117	343	343	787	888	1900-2245kg	25/pal

* Capacity for 2 springs

Rocker Roller Springs - Accessories

Spare Wheel Carrier U-Bolt



- | | | | |
|--|---|---|--|
| 1

ATL576302
Front / rear hanger 60mm | 2

ATL590707
Shackle pin 16mm | 3

ATL590708
Shackle pin nyloc nut 16mm | 4

ATL576301
Steel roller bush |
| 4

ATL576301ZN
Steel roller bush zinc plated | 5

ATL576305
Centre rocker hanger | 6

ATL576304
Shackle pin greasable 16mm | 7

ATL590708
Shackle pin nyloc nut 16mm |
| 8

ATL590003
Spring nylon bush 16mm | 9

ATL576303
Centre rocker arm | 9

ATL576303D
Centre rocker arm - Dacromet | 10

ATL576306
Centre rocker pin greasable 18mm |
| 11

ATL590712
Centre rocker pin nyloc nut 18mm | 6

ATL590632ZN
Shackle pin greasable 16mm zinc plated | 6


ATL590632
Shackle pin 'Outback' M16 x 100mm with grease nipple | 2

ATL590707ZN
Shackle pin 16mm zinc plated |


PRODUCT	DESCRIPTION	QUANTITY
SWCUB	Spare Wheel Carrier U-bolt	20pcs

Spare Wheel Mount Small Galvanised Trailer

13-14" MULTI-STUD




PRODUCT	DESCRIPTION	QUANTITY
SWMSM	Suitable for Galvanised Trailers Multi-Stud Pattern (Ford & HT Holden) 13" & 14"	8pcs




Spare Wheel Mount Large Galvanised Trailer

13-15" MULTI-STUD




PRODUCT	DESCRIPTION	QUANTITY
SWMLG	Suitable for Galvanised Trailers Multi-Stud Pattern (Ford, HT Holden & Landcruiser) 13", 14" & 15"	4pcs



Spare Wheel Mount Small

Aluminium Trailer

13-14" MULTI-STUD




PRODUCT	DESCRIPTION	QUANTITY
AWSWMSM	Suitable for Jet-Ski Aluminium I-Beam Trailers Multi-Stud Pattern (Ford, HT Holden & Landcruiser) 13" & 14"	4pcs

Spare Wheel Mount Large

Aluminium Trailer

13-15" MULTI-STUD



PRODUCT	DESCRIPTION	QUANTITY
AWSWMLG	Suitable for Aluminium I-Beam Trailers, Multi-Stud Pattern (Ford, HT Holden & Landcruiser) 13", 14" & 15"	4pcs

Galvanised Wheels & Tyres



**Ideal with Spare
Wheel Mount**



Trailer Wheel Studs
(5-pk) sold separately



Alloy Wheel Lug-Nuts
(5-pk) sold separately

GALVANISED

PRODUCT	STUD PATTERN	WHEEL SIZE	TYRE SIZE / RATING	QUANTITY
10X5TWPMS	5 x 4.25 / 5 x 4.50	10 x 5.0	10" x 5	1pc
13X155TWPMS	5 x 4.25 / 5 x 4.50	13 x 4.50	13" 155 / 600kg	1pc
13X165TWPMS-437	5 x 4.25 / 5 x 4.50	13 x 4.50	13" 165 / 437kg	1pc
13X165TWPMS	5 x 4.25 / 5 x 4.50	13 x 4.50	13" 165 / 670kg	1pc
13X165TWPHT-670	5 x 4.25	13 x 4.50	13" 165 / 670kg	1pc
13X175TWPMS	5 x 4.25 / 5 x 4.50	13 x 4.50	13" 175 / 730kg	1pc
14X185TWPMS	5 x 4.25 / 5 x 4.50	13 x 4.50	13" 175 / 730kg	1pc
14X185TWPHT-850	5 x 4.25	14 x 5.50	14" 185 / 850kg	1pc

Alloy Mag Wheels & Tyres



**Ideal with Spare
Wheel Mount**



Trailer Wheel Studs
(5-pk) sold separately



Alloy Wheel Lug-Nuts
(5-pk) sold separately

PREDATOR


PRODUCT	STUD PATTERN	WHEEL SIZE	TYRE SIZE / RATING	QUANTITY
13X5ALLOYHT_155MF	5 x 4.25	13 x 5.0	13" 155 / 600kg	1pc
13X5ALLOYHT_165MF	5 x 4.25	13 x 5.0	13" 165 / 670kg	1pc
13X5ALLOYFD_165MF	5 x 4.50	13 x 5.0	13" 165 / 670kg	1pc
14X55ALLOYHT_185MF	5 x 4.25	14 x 5.5	14" 185 / 850kg	1pc
14X55ALLOYFD_185MF	5 x 4.50	14 x 5.5	14" 185 / 850kg	1pc
14X55ALLOYFD_195MF	5 x 4.50	14 x 5.5	14" 195 / 950kg	1pc
14X55ALLOYFD_215MF	5 x 4.50	14 x 5.5	14" 215 / 1120kg	1pc
15X65ALLOYLC_235MF	6 x 139.70	15 x 6.5	15" 235 / 1250kg	1pc

Alloy Mag Wheels & Tyres



**Ideal with Spare
Wheel Mount**

X-SERIES



Trailer Wheel Studs
(5-pk) sold separately

Alloy Wheel Lug Nuts
(5-pk) sold separately


PRODUCT	STUD PATTERN	WHEEL SIZE	TYRE SIZE / RATING	QUANTITY
13X5ALLOYMS165	5 x 4.25 / 5 x 4.50	13 x 5.0	13" 165 / 670kg	1pc
14X55ALLOYMS185	5 x 4.25 / 5 x 4.50	14 x 5.5	14" 185 / 850kg	1pc

Alloy Mag Wheels & Tyres



**Ideal with Spare
Wheel Mount**

T-SERIES



Trailer Wheel Studs
(5-pk) sold separately


Alloy Wheel Lug Nuts
(5-pk) sold separately


PRODUCT	STUD PATTERN	WHEEL SIZE	TYRE SIZE / RATING	QUANTITY
13X5ALLOYHT165T	5 x 4.25	13 x 5.0	13" 165 / 670kg	1pc
14X6ALLOY185HT	5 x 4.25	14 x 6.0	14" 185 / 850kg	1pc

Alloy Mag Wheels & Tyres



**Ideal with Spare
Wheel Mount**



 Trailer Wheel Studs
(5-pk) sold separately

 Alloy Wheel Lug Nuts
(5-pk) sold separately

RIPPER

PRODUCT	STUD PATTERN	WHEEL SIZE	TYRE SIZE / RATING	QUANTITY
16X75ALLOYLC_235MF	6 x 139.70	16 x 7.5	16" 235 / 1450kg	1pc

Jerry Can Holder with Mount



PRODUCT	DESCRIPTION	FINISH	QUANTITY
JC370X180X300	Jerry Can Holder 370 x 180 x 300mm	Galvanised	1pc

Vertical Bike Rack



**Vertical bike
mount design**

**Quick and easy
assembly**

**Secure
mount straps**

**Suitable for 3, 4, 5
or 6 bicycles**



PRODUCT	DESCRIPTION	NET WEIGHT (KG)	QUANTITY
ATLBR003	Vertical Bike Rack to fit up to 3 bicycles	21.8kg	1pc
ATLBR004	Vertical Bike Rack to fit up to 4 bicycles	24.2kg	1pc
ATLBR005	Vertical Bike Rack to fit up to 5 bicycles	28.2kg	1pc
ATLBR006	Vertical Bike Rack to fit up to 6 bicycles	32.0kg	1pc

Shelf-Ready POS



QTY: 12

PRODUCT	CARTON SIZE (MM)
WR3BLACK	350L x 230W x 425H
WR3BLUE	350L x 230W x 425H
WR3GREY	350L x 230W x 425H

HEIGHT INCLUDES HEADER ASSEMBLED



QTY: 12

PRODUCT	CARTON SIZE (MM)
BHKR45	290L x 220W x 260H
BHSKR60	290L x 220W x 300H
BHSKR80	290L x 220W x 350H

HEIGHT INCLUDES HEADER ASSEMBLED



QTY: 12

PRODUCT	CARTON SIZE (MM)
BRKR45	290L x 220W x 260H
BRKSR60	290L x 220W x 300H
BRKSR80	290L x 220W x 350H

HEIGHT INCLUDES HEADER ASSEMBLED

Shelf-Ready POS



QTY: 12

PRODUCT	CARTON SIZE (MM)
BOWR3	310L x 235W x 312H
BOWR4	310L x 235W x 342H

HEIGHT INCLUDES HEADER ASSEMBLED



QTY: 12

PRODUCT	CARTON SIZE (MM)
BHCR60	290L x 220W x 300H
BHCR80	290L x 220W x 350H

HEIGHT INCLUDES HEADER ASSEMBLED



QTY: 40

PRODUCT	CARTON SIZE (MM)
SRS45	175L x 150W x 162H
SRS60	175L x 210W x 162H
SRS80	175L x 250W x 162H
SRS80-20	115L x 250W x 95H

HEIGHT INCLUDES HEADER ASSEMBLED

Winch Specifications

PRODUCT CODE	CMW002W	CMW003C	CMW005W	CMW006C	HMW005W	CEW2000C	CEW3000C	HEW3500C	MW201R	MW202W	MW212C	MW203R	MW204W	MW214C	MW205R	MW206W	MW217C	MW207R
GEAR RATIO	3:1	3:1	4:1	4:1	4:1	460:1	729:1	729:1	3:1	3:1	3:1	5:1	5:1	5:1	5:1/1:1	5:1/1:1	5:1/1:1	10:1/5:1/1:1
CABLE/WEBBING/ROPE TYPE	Webbing Strap	Cable	Webbing Strap	Cable	Webbing Strap	Cable	Cable	Cable	Atlantic Rope	Webbing Strap	Cable	Atlantic Rope	Webbing Strap	Cable	Atlantic Rope	Webbing Strap	Cable	Atlantic Rope
HOOK TYPE	S Hook	S Hook	S Hook	S Hook	S Hook	Snap Hook	Snap Hook	Snap Hook	S Hook	S Hook	S Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook
APPLICATION (VESSEL TYPE)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)
CABLE/WEBBING/ROPE LENGTH (MAXIMUM LENGTH)	4.5m —	6m x 4mm —	6m —	6m x 4mm —	6m —	9m x 4.8mm —	9m x 5.5m —	10.5m x 5.5m —	6m x 4mm (34.5m x 4mm)	6m (8.5m)	6m x 4mm (34.5m x 4mm)	6m x 5mm (20m x 5mm)	6m (8.5m)	6m x 4mm (20m x 4mm)	7.5m x 5mm (20m x 5mm)	7.5m (8.5m)	7.5m x 5mm (20m x 5mm)	7.5m x 6mm (9.5m x 6mm)
CAPACITY	300kg (660lb)	300kg (660lb)	550kg (1200lb)	550kg (1200lb)	550kg (1200lb)	2000lb	3000lb	3500lb	550kg (1200lb)	550kg (1200lb)	550kg (1200lb)	725kg (1600lb)	725kg (1600lb)	725kg (1600lb)	775kg (1700lb)	775kg (1700lb)	775kg (1700lb)	1135kg (2500lb)
RATCHET TYPE	Lever Action	Lever Action	Lever Action	Lever Action	Lever Action	Gearshift	Gearshift	Gearshift	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever
UNIT WEIGHT	2.4kg	2.4kg	3.0kg	3.0kg	3.0kg	10.8kg	10.8kg	12.0kg	4.12kg	4.33kg	4.44kg	4.33kg	4.55kg	4.9kg	4.55kg	4.86kg	5.24kg	5.15kg
TOTAL DIMENSIONS (W X H X D)	257 x 120 x 155	257 x 120 x 155	254 x 144 x 193	254 x 144 x 193	254 x 144 x 193	241 x 191 x 254	241 x 191 x 254	241 x 191 x 254	304 x 248 x 191	304 x 248 x 191	304 x 248 x 191	304.5 x 248 x 188	304.5 x 248 x 188	304.5 x 248 x 188	319 x 248 x 190.5	319 x 248 x 190.5	319 x 248 x 190.5	312 x 252 x 190.5
BARCODE NUMBER	9337451000862	9337451000909	9334751000879	9334751001272	9337451004051	9337451001692	9337451001708	9337451003641	9337451000725	9337451000046	9337451000091	9337451000732	9337451000053	9337451000107	9337451000749	9337451000060	9337451000114	9337451000756

PRODUCT CODE	MW208W	MW220C	MW209R	MW210W	MW223C	CTW2500R	BW230C	BW230C-FC	BW230C-FCSS	BW240NC	BW260C	BW260C-FC	BW260C-FCSS	BW280NC	BW290C	LBW620NC	LBW650NC	LBW680NC
GEAR RATIO	10:1/5:1/1:1	10:1/5:1/1:1	15:1/5:1/1:1	15:1/5:1/1:1	15:1/5:1/1:1	15:1	5:1	5:1	5:1	5:1	10:1	10:1	10:1	10:1	15:1	8:1	15:1	15:1
CABLE/WEBBING/ROPE TYPE	Webbing Strap	Cable	Atlantic Rope	Webbing Strap	Cable	Atlantic Rope	Cable	Cable	Cable	—	Cable	Cable	Cable	—	Cable	—	—	—
HOOK TYPE	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	Snap Hook	—	Snap Hook	Snap Hook	Snap Hook	—	Snap Hook	—	—	—
APPLICATION (VESSEL TYPE)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Boat Trailer)	Incline Pull (Car Trailer)	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift	Direct Lift
CABLE/WEBBING/ROPE LENGTH (MAXIMUM LENGTH)	7.5m (8.5m)	7.5m x 6mm (9.5m x 6mm)	7.5m x 7mm (10m x 7mm)	7.5m (8.0m)	7.5m x 7mm (9.5m x 7mm)	15m x 10mm (45m x 6mm)	7.5m x 5mm (20m x 5mm)	7.5m x 5mm (20m x 5mm)	7.5m x 5mm (20m x 5mm)	— (20m x 5mm)	7.5m x 6mm (9.5mm x 6mm)	7.5m x 6mm (9.5mm x 6mm)	7.5m x 6mm (9.5mm x 6mm)	— (9.5mm x 6mm)	8m x 8mm —	— (45m x 6mm)	— (45m x 6mm)	— (125m x 6mm)
CAPACITY	1135kg (2500lb)	1135kg (2500lb)	1500kg (3300lb)	1500kg (3300lb)	1500kg (3300lb)	2500kg (5500lb)	300kg (660lb)	300kg (660lb)	300kg (660lb)	300kg (660lb)	500kg (1100lb)	500kg (1100lb)	500kg (1100lb)	500kg (1100lb)	725kg (1600lb)	750kg (1650lb)	1500kg (3300lb)	1800kg (3960lb)
ULTIMATE BRAKING LOAD	—	—	—	—	—	7176kg	1479kg	1479kg	1479kg	—	1948kg	1948kg	1948kg	—	3503kg	5690kg	7176kg	8157kg
ULTIMATE TENSILE STRESS	—	—	—	—	—	70.38kN	14.5kN	14.5kN	14.5kN	—	19.1kN	19.1kN	19.1kN	—	34.25kN	55.8kN	70.38kN	80.0kN
RATCHET TYPE	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Pawl Lever	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating	Self Actuating
UNIT WEIGHT	5.39kg	5.98kg	6.5kg	6.9kg	7.3kg	26.0kg	5.56kg	5.56kg	5.56kg	4.58kg	6.09kg	6.09kg	6.09kg	4.90kg	10.5kg	22.8kg	24.0kg	30.0kg
TOTAL DIMENSIONS (W X H X D)	312 x 252 x 190.5	312 x 252 x 190.5	304 x 244.7 x 234.5	304 x 244.7 x 234.5	304 x 244.7 x 234.5	413 x 267 x 234	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5	265 x 254 x 190.5	265 x 265.5 x 251.5	413 x 267 x 234	413 x 267 x 234	572 x 450 x 280
BARCODE NUMBER	9337451000077	9337451000121	9337451000763	9337451000084	9337451000336	9337451004075	9337451000299	9337451003672	9337451003757	9337451000343	9337451000305	9337451003696	9337451003764	9337451003350	933745103771	9337451000312	9337451000329	9337451000770

**Atlantic Products are 100% Australian owned
and operate from their corporate headquarters
based in Adelaide, South Australia.**

Stocked by leading distributors around Australia
and overseas, Atlantic Products manufactures
and distributes a range of winches, wheels and
trailer accessories for the marine, agricultural,
mining and construction industries.

Due to their rapid expansion, Atlantic Products
has positioned warehouse facilities in all key
cities of Australia; plus Shanghai and Hong Kong
for faster lead times to key markets in Europe,
Africa and the USA.



FOR ALL SALES & ENQUIRIES:

Free call 1300 214 049

Email info@atlanticproducts.com.au

www.atlanticproducts.com.au

Please note all information contained in this document is correct at time of printing.
Atlantic Products reserves the right to modify any information without prior notice.

© 2024 Atlantic Products Pty Ltd. DAL6482/04.2024

Atlantic Products are industry members with:

